Full Colour Multifunction Printer

IM C2010

IM C2510

IM C3010

IM C3510

IM C4510

IM C6010





Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, and agility are essential for your organisation to remain competitive.

The new Ricoh IM C Series unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Innovatively designed, the IM C Series seamlessly integrate with cloud services and offer high-quality print, scanning and workflow automation.

Achieve your sustainability goals

A carbon neutral future

The IM C Series significantly reduces energy consumption and paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low TEC values and automatic eco-mode energy saving (0.3W) when in sleep mode. An innovative new toner that fuses at a lower temperature, resulting in the ideal sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

Ongoing security

RICOH Always Current Technology provides security updates automatically. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

Flexible authentication options

The IM C Series comes with a wide range of authentication, including user code, basic authentication, Windows and LDAP authentication, and card-based access to the device, to minimise the risk of data breaches.

Improved admin management system

Privileged admin account control with unlimited MFP administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Windows and LDAP platforms.



Enhanced productivity and seamless employee experience

Third-generation Smart Operation Panel

The new Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's resources and functions.

Improved user experience

- · Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The SPDF capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.



Scanning and automation

Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving or as part of a workflow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

Transitioning to the cloud

Our cloud software solutions are easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.







IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

| GENERAL | IM C2010 (ARDF) | IM C2510 (ARDF) | IM C3010 (SPDF) | IM C3510 (SPDF) | IM C4510 (SPDF) | IM C6010 (SPDF) | | |
|---|---|--|---------------------------------|--|---------------------------------|---------------------------------|---------------------------|------------|
| Varm-up time irrst copy speed: B/W / full colour | 24 seconds 5.1 / 7.4 seconds | 24 seconds 5.1 / 7.4 seconds | 24 seconds 4.5 / 6.9 seconds | 24 seconds 4.5 / 6.9 seconds | 23 seconds 3.6 / 5.4 seconds | 23 seconds 2.9 / 4.2 seconds | Adobe PostScript' 3" | Adobe |
| Continuous output speed Memory: standard / maximum | 20 ppm 6 GB | 25 ppm 6 GB | 30 ppm 8 GB | 35 ppm 8 GB | 45 ppm 8 GB | 60 ppm 8 GB | Bluetooth | R |
| SD: standard / optional | 100 sheets | 100 sheets | 256 GI 220 sheets | B / 1 TB 220 sheets | 220 sheets | 220 sheets | | ef. (1)(2) |
| /eight (kg) imensions WxDxH (mm) | 89.7 587 x 701 x 913 | 89.7 587 x 701 x 913 | 99.3 587 x 701 x 963 | 99.3 587 x 701 x 963 | 100.8 587 x 701 x 963 | 100.8 587 x 701 x 963 | Wi Fi CERTIFIED | mo |
| ower source | | | 220 - 240 | V, 50 - 60 Hz | | | | |
| OPIER | | | | | | | Works with Apple AirPrint | ir |
| Multiple copying Resolution | | | | 99 copies O dpi | | | | |
| Zoom | | | | 00% in 1% steps | | | | |
| PRINTER | | | | | | | | |
| First print speed: B/W / full colour | | 4.5 / 7 seconds | 4 / 6.6 seconds | 4 / 6.6 seconds | 3.2 / 5.2 seconds | | | |
| CPU | (IM C2010, IM C2510 | | · | , , | | : ApolloLake E3940 1.6 | GHZ) | |
| Printer language: standard Printer language: option | PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation) Genuine Adobe® PostScript®3™, PDF Direct from Adobe® | | | | | | | |
| Print resolution: maximum | | | | 200 x 1,200 dpi | | | | |
| letwork interface: standard | | | | base-T, USB Host I/F | • • | e I/F Type B | | |
| letwork interface: option lobile printing capability | | | | 11 a/b/g/n/ac), Additi NFC, Ricoh Smart D | | | | |
| /indows® environments | Windows® 8.1, Windows | dows [®] 10, Windows [©] | 11, Windows® Serv | er 2012R2, Window | s® Server 2016, Win | dows® Server 2019, Wind | lows® Server 2022 | |
| Mac OS environments | Macintosh OS X v10.15 or later | | | | | | | |
| JNIX environments SAP® environments | | UNIX Sun® Sola | | penServer, RedHat® R/3®, SAP® S/4® | Linux Enterprise, IB | M® AIX | | |
| Other supported environments | | | | IBM iSeries | | | | |
| CANNER | | | | | | | | |
| Scanning speed: A4 LEF, 200dpi, B/W, | 80 ipm | 80 ipm | 150 ipm (simplex) | 150 ipm (simplex) | 150 ipm (simplex) | | | |
| ull colour) Resolution | | 100 dpi 200 | 300 ipm (duplex) | 300 ipm (duplex) bi, 400 dpi, 600 dpi, | 300 ipm (duplex) | 300 ipm (duplex) | | |
| Coordion | | TIFF, Single page JF | PEG, Single page PI | DF, Single page High | compression PDF, | Single page PDF/A, | | |
| ile formats | Multi page TIF | | | oression PDF, Multi p F, Single/multi OCR | | page Encryption PDF, | | |
| can modes AX | | | E-mail, | Folder, USB | | | | |
| ircuit | | | PST | ΓN, PBX | | | | |
| ransmission speed | | | | econds | | | | |
| lodem speed: maximum | | | | 6 Kbps | | | | |
| esolution: standard esolution: option | | | | nm, 200x100 dpi mm, 400x400 dpi | | | | |
| ompression method | | | | , MMR, JBIG | | | | |
| canning speed (A4) | 68 spm | 68 spm | 94 spm | 94 spm | 94 spm | 94 spm | | |
| lemory: standard | | | | 320 pages) | | | | |
| l | | | 60 MB, (4 | 1,800 pages) | | | | |
| lemory: maximum APER HANDLING | | | | | | | | |

Standard: 1,200 sheets I Maximum: IM C2010, IM C2510; 2,300 sheets / IM C3010, IM C3510, IM C4510, IM C6010; 4,850 sheets Paper input

Standard: 500 sheets I Maximum: IM C2010. IM C2510. IM C3010. IM C3510 : 1.625 sheets / IM C4510. IM C6010 : 3.625 sheets

Paper output

Paper weight Trays: 60 - 300 g/m², Bypass: 52 - 300 g/m², Duplex: IM C2010, IM C2510 ; 52 - 169 g/m² / IM C3010, IM C3510, IM C4510, IM C6010 ; 52 - 256 g/m²

Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper Paper types

ECOLOGY TEC** 0.25 kWh/week 0.30 kWh/week 0.35 kWh/week 0.45 kWh/week 0.20 kWh/week

OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet locklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD option, Bridge unit, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES*

Standard Toner (K/CMY) 30,000/18,000 Prints 30,000/18,000 Prints 40,000/28,000 Prints 40,000/28,000 Prints 42,000/28,000 Prints 42,000 Prints 42 Low-yield Toner (K/CMY) 16,500/5,500 Prints 16,500/5,500 Prints

*Consumable yield based on 3p/i5% coverage on A4 I ** It is a reference value based on the ENERGY STAR Ver.3.0 test method.



RICOH THAILAND LTD

341 Onnuj Road, Prawet, Prawet, Bangkok 10250 | Website : www.ricoh.co.th